

Mowi Scotland
Adult Female Lice and Mortality Reporting



Week Ending 22-May-22

Farm	Adult female lice (Average per fish) ¹	Weekly Mortality (%)	Site Status	Main cause of Mortality ²	Treatments ³
Ardintoul	1.19	0.37			
Bagh Dail Nan Cean	0.00	0.04			
Boisdale (An Camus)	0.00	0.02			
Cairidh	-	-	Site fallow		
Camas Glas	1.31	0.60			
Caolas a Deas East	-	-	Site fallow		
Caolas a Deas West	-	-	Site fallow		
Carradale	0.00	0.06			
Carradale North	0.00	0.04			
Colonsay	0.29	0.14			
Duich	0.32	0.14			
Gorsten	0.12	0.19			
Greanem	-	1.08		Predator	
Greshornish	2.48	0.46			Treatment Planned
Grey Horse Channel	1.46	0.39			
Groatay	1.28	0.23			
Harport	0.01	0.02			
Hellisay	-	-	Site fallow		
Invasion Bay	-	-	Site fallow		
Kingairloch	0.08	0.19			Taking place
Leven	0.04	0.06			
Linnhe	0.08	0.37			
Loch Alsh	1.27	1.11		Environmental	
Loch Hourn	-	-	Site fallow		
MacLean's Nose	-	-	Site fallow		
Maol Ban	0.00	0.05			
Marulaig Bay	0.04	0.02			
Muck	-	0.05			
North Shore	-	-	Site fallow		
North Shore East	-	-	Site fallow		
Noster	0.24	0.52			Taking place
Ornish	0.00	0.08			
Poll Na Gille	0.00	0.03			
Port Na Cro	-	-	Site fallow		
Rum	-	-	Site fallow	CMS	
Scalpay	0.05	0.07			
Sconser Quarry	0.04	0.05			
Seaforth	0.43	0.64			Taking place
Soay	0.02	0.07			Taking place
South West Shuna	0.03	0.05			
Stulaigh	0.15	0.15			
Tabhaigh	0.42	0.14			
Torridon	0.00	0.12			
Trilleachan Mor	0.25	0.31			

(1) Lice figures are the combined total of gravid/non-gravid females

(2) Main mortality cause noted if the Marine Scotland mortality reporting thresholds of 1.5% per week for fish below 750g, and 1.0% per week for fish over 750g are exceeded

(3) Comments regarding sea lice management treatments are noted here

Full descriptions for abbreviated mortality causes shown above in the week are :

Predator *Predator*
 Environmental *Environmental*
 CMS *Cardiomyopathy Syndrome (viral infection causing weak hearts)*