

Mowi Scotland
Adult Female Lice and Mortality Reporting



Week Ending 26-Jun-22

Farm	Adult female lice (Average per fish) ¹	Weekly Mortality (%)	Site Status	Main cause of Mortality ²	Treatments ³
Ardintoul	-	0.33			
Bagh Dail Nan Cean	0.00	0.06			
Boisdale (An Camus)	0.38	0.03			
Cairidh	-	-	Site fallow		
Camas Glas	2.95	1.49		Gill Health	Harvesting
Caolas a Deas East	-	-	Site fallow		
Caolas a Deas West	-	-	Site fallow		
Carradale	0.01	0.02			
Carradale North	0.02	0.03			
Colonsay	1.71	0.37			
Duich	2.10	0.15			Cleanerfish deployment
Gorsten	1.02	0.41			
Greanem	0.99	0.27	Site fallowed in week		
Greshornish	1.30	0.84			
Grey Horse Channel	1.42	1.48		Gill Infections	
Groatay	0.40	1.76		Treatment Loss	
Harport	0.07	0.23			
Hellisay	0.17	0.15			Taking place
Invasion Bay	-	-	Site fallow		
Kingairloch	2.12	0.14			Treatment planned
Leven	0.40	0.10			
Linnhe	0.33	0.14			
Loch Alsh	-	-	Site fallow		
Loch Hourn	-	-	Site fallow		
MacLean's Nose	-	-	Site fallow		
Maol Ban	0.02	0.08			
Marulaig Bay	0.95	0.02			
Muck	-	-	Site fallow		
North Shore	-	-	Site fallow		
North Shore East	-	-	Site fallow		
Noster	0.54	0.64			
Ornish	0.07	0.34			
Poll Na Gille	0.02	0.05			
Port Na Cro	-	-	Site fallow		
Rum	-	-	Site fallow		
Scalpay	0.01	0.03			
Sconser Quarry	0.00	0.05			
Seaforth	0.59	0.52			
Soay	0.01	0.03			
South West Shuna	0.01	0.07			
Stulaigh	0.12	0.76			
Tabhaigh	0.20	0.08			
Torrison	0.00	0.07			
Trilleachan Mor	0.28	0.21			

(1) Lice figures are the combined total of gravid/non-gravid females

(2) Main mortality cause noted if the Marine Scotland mortality reporting thresholds of 1.5% per week for fish below 750g, and 1.0% per week for fish over 750g are exceeded

(3) Comments regarding sea lice management treatments are noted here

Full descriptions for abbreviated mortality causes shown above in the week are :

Gill Infections AGD (Amoebic Gill Disease) / PGD (Proliferative Gill Disease)
Treatment Loss Treatment Loss